

U.S. STANDARD CERTIFICATE OF DEATH						STATE FILE NUM.
					2. SEX	3
-Last Birthday (rs)	5b. UNDER 1 YEAR		5c. UNDER 1 DAY		6. DATE OF BIRTH (Month, Day, Year)	7
	Months	Days	Hours	Minutes		
9a. PLACE OF DEATH (Check only one; see instructions on other side)						
ITAL. ☐ Inpatient ☐ ER/Outpatient (Give street and number)						
12b. SURVIVING SPOUSE (give maiden name)			12a. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)		12b. KINSHIP	
13b. COUNTY	13c. CITY, TOWN, OR LOCATION			13d. STREET AND NUMBER		
14. WAS DECEDENT OF HISPANIC ORIGIN? (Specify No or Yes - If yes, specify Cuban, Mexican, Puerto Rican, etc.) ☐ No ☐ Yes Specify:				15. RACE - American Indian, Black, White, etc. (Specify)		1 (Specify) Elementary

Before I Die...

Printed matter - handout in connection with group show at
Elisabeth Foundation of Art Studios, New York, summer 2001

[Rates per 100,000 population in specified group. For explanation of asterisks preceding cause-of-death categories, see text.]

Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), race, sex, and age	Number ²	Rate ²	Rank
	All races ³ , both sexes, all ages ⁴			
	All causes	2,314,245	864.7	...
1	Diseases of heart (390-398,402,404-429)	726,974	271.6	1
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	539,577	201.6	...
3	Cerebrovascular diseases (430-438)	159,791	59.7	...
4	Chronic obstructive pulmonary diseases and allied conditions (490-496)	109,029	40.7	2
5	Accidents and adverse effects (E800-E949)	95,644	35.7	3
	Motor vehicle accidents (E810-E825)	43,458	16.2	4
	All other accidents and adverse effects (E800-E807, E826-E949)	52,186	19.5	5
6	Pneumonia and influenza (480-487)	86,449	32.3	6
7	Diabetes mellitus (250)	62,636	23.4	7
8	Suicide (E950-E959)	30,535	11.4	8
9	Nephritis, nephrotic syndrome, and			9

Mr./Mrs _____'s husband/wife

Table 35. Age-adjusted death rates for persons 25–64 years of age for selected causes of death according to sex and educational attainment: Selected States, 1994–98

[Data are based on the National Vital Statistics System]

Cause of death and year	Both sexes			Male			Less than 12
	Years of educational attainment ¹			Years of educational attainment ¹			
	Less than 12	12	13 or more	Less than 12	12	13 or more	
All causes	Deaths per 100,000 population						
1994	571.0	486.1	243.4	762.6	679.2	309.9	379.8
1995	581.2	491.7	240.4	770.5	684.9	303.0	391.3
1996	556.0	472.4	230.4	733.0	642.6	287.2	379.4
1997	531.7	453.6	221.6	690.9	608.0	270.4	370.3
1998	538.3	445.6	213.1	698.7	599.5	259.3	377.6
Chronic and noncommunicable diseases							
1994	415.8	360.0	183.2	529.8	476.5	216.2	307.2
1995	420.4	362.9	181.7	531.6	479.3	212.2	314.2
1996	408.6	355.1	178.7	519.3	460.0	209.9	303.8
1997	395.9	348.9	177.2	497.3	447.9	207.0	299.1
1998	401.8	343.1	171.0	504.9	443.7	199.8	303.9
Injury and adverse effects							
1994	98.7	75.3	32.1	153.2	121.6	46.0	40.3
1995	99.6	76.3	31.8	153.4	122.8	45.6	41.5
1996	94.8	74.9	32.1	143.0	118.6	45.7	42.1
1997	95.4	75.4	32.0	142.2	118.7	45.7	42.4
1998	96.4	75.4	31.3	143.1	118.2	44.6	44.9
Communicable diseases							
1994	56.5	50.8	28.1	79.7	81.2	47.9	32.2
1995	61.3	52.5	27.0	85.5	82.9	45.3	35.7
1996	58.2	49.1	25.5	77.0	73.3	42.6	32.4
1997	53.1	45.3	22.1	69.0	60.8	27.0	31.4
1998	53.8	44.5	21.3	69.8	59.9	25.9	31.4

Before I die... I would like to fuck my:

- ☐ Exgirlfriend/boyfriend
- ☐ Exexgirlfriend/boyfriend
- ☐ Exexexgirlfriend/boyfriend
- ☐ Exexexexgirlfriend/boyfriend
- ☐ Exexexexexgirlfriend/boyfriend
- ☐ Exexexexexexexgirlfriend/boyfriend
- ☐ Exexexexexexexexexgirlfriend/boyfriend
- ☐ Exexexexexexexexexexgirlfriend/boyfriend
- ☐ Exexexexexexexexexexexgirlfriend/boyfriend
- ☐ Exexexexexexexexexexexexgirlfriend/boyfriend

Table 47 (page 1 of 3). Death rates for suicide, accor
United States, selected years 1950–98

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and age	1950 ¹	1960 ¹	1970	19
All persons				
All ages, age adjusted	11.0	10.6	11.8	11
All ages, crude	11.4	10.6	11.6	11
Under 1 year.	...	...	...	...
1–4 years	...	...	...	...
5–14 years	0.2	0.3	0.3	0
15–24 years	4.5	5.2	8.8	12
25–44 years	11.6	12.2	15.4	15
25–34 years.	9.1	10.0	14.1	16
35–44 years.	14.3	14.2	16.9	15
45–64 years	23.5	22.0	20.6	15
45–54 years.	20.9	20.7	20.0	15

Before I die... I would like to (re)marry a:

☐ Female

Age _____ Height _____ Weight _____ Waist _____

Hips _____ Breast _____ Hair _____ Eyes _____

☐ Male

Age _____ IQ _____ Bank balance (USD) _____

Table 44. Maternal mortality for complications of pregnancy, childbirth, and the puerperal by race, Hispanic origin, and age: United States, selected years 1950-98

[Data are based on the National Vital Statistics System]

Race, Hispanic origin, and age	1950 ¹	1960 ¹	1970	1980	1985	1990	1995
Number of deaths							
All persons	2,960	1,579	803	334	295	343	277
White	1,873	936	445	193	156	177	129
Black	1,041	624	342	127	124	153	133
American Indian or Alaska Native	---	---	---	3	7	4	1
Asian or Pacific Islander	---	---	---	11	8	9	14
Hispanic ²	---	---	---	---	29	47	43
White, non-Hispanic ²	---	---	---	---	60	125	84
Deaths per 100,000 live births							
All persons							
All ages, age adjusted	73.7	32.1	21.5	9.4	7.6	7.6	6.3
All ages, crude	83.3	37.1	21.5	9.2	7.8	8.2	7.1
Under 20 years	70.7	22.7	18.9	7.6	6.9	6.1	3.9
0-24 years	47.6	20.7	13.0	5.8	5.4	6.1	5.7
5-29 years	63.5	29.8	17.0	7.7	6.4	6.0	6.0
0-34 years	107.7	50.3	31.6	13.6	8.9	9.5	7.3
5 years and over ³	222.0	104.3	81.9	36.3	25.0	20.7	15.9
White							
All ages, age adjusted	53.1	22.4	14.4	6.7	4.9	5.1	3.6
All ages, crude	61.1	26.0	14.3	6.6	5.1	5.4	4.2
Under 20 years	44.9	14.8	13.8	5.8	*	*	*
0-24 years	35.7	15.3	8.4	4.2	3.3	3.9	3.5
5-29 years	45.0	20.3	11.1	5.4	4.6	4.8	4.0
0-24 years	75.0	34.2	19.2	6.2	5.1	5.0	4.0

Before I die... I would like:


- | | |
|---|---|
| ☐ 1 dog/cat | ☐ 3 boys 2 girls |
| ☐ 1 girl | ☐ 3 boys 1 girl |
| ☐ 1 girl 1 boy | ☐ 3 boys |
| ☐ 1 boy | ☐ 4 girls |
| ☐ 2 girls | ☐ 4 girls 1 boy |
| ☐ 2 girls 1 boy | ☐ 4 girls 2 boys |
| ☐ 2 girls 2 boys | ☐ 4 girls 3 boys |
| ☐ 2 boys 1 girl | ☐ 4 girls 4 boys |
| ☐ 2 boys | ☐ 4 boys 3 girls |
| ☐ 3 girls | ☐ 4 boys 2 girls |
| ☐ 3 girls 1 boy | ☐ 4 boys 1 girl |
| ☐ 3 girls 2 boys | ☐ 4 boys |
| ☐ 3 girls 3 boys | ☐ Other _____ |

Table 98. Additions to selected inpatient psychiatric organizations, according to selected prin diagnoses and age: United States, 1975, 1980, and 1986

[Data are based on a sample survey of patients]

Primary diagnosis and age	State and county mental hospitals			Private psychiatric hospitals			Non-
	1975	1980	1986	1975	1980	1986	1975
All diagnoses ²				Additions per 100,000 civilian population			
All ages	182.2	163.6	143.4	61.4	62.6	92.5	243.8
Under 25 years	104.8	101.2	86.3	37.7	43.1	74.7	146.7
25-44 years	314.1	282.9	267.0	89.3	89.1	132.7	416.8
45-64 years	233.5	175.7	110.9	80.1	71.0	75.2	278.5
65 years and over	91.8	78.0	52.5	57.7	54.1	11.4	170.3
Alcohol related							
All ages	50.4	35.5	23.8	5.1	5.8	6.6	17.0
Under 25 years	10.7	12.4	16.8	0.4	1.4	2.2	2.4
25-44 years	86.2	64.0	45.4	7.6	9.3	10.0	31.0
45-64 years	110.0	57.7	15.3	12.5	10.9	11.0	34.5
65 years and over	14.8	11.5	*3.2	4.3	4.4	4.5	10.2
Drug related							
All ages	6.8	7.8	9.1	1.5	1.8	6.1	8.4
Under 25 years	7.2	9.4	6.3	1.5	1.8	7.5	7.7
25-44 years	12.6	12.9	14.8	2.3	3.0	9.3	13.8
45-64 years	*0.6	1.4	10.5	0.1	1.0	*1.8	6.5
65 years and over	*3.5	*0.7	*0.8	0.4	0.6	---	*2.6
Schizophrenia							
All ages	61.2	62.1	53.2	13.4	13.3	11.0	58.9
Under 25 years	35.9	36.6	19.6	11.1	10.6	5.7	42.0
25-44 years	125.8	125.0	115.3	23.8	22.5	22.6	118.0

Before I die... I would like to improve myself:




NEW YORK CITY 2000



WHITE POPULATION

Professor William Bowen
California Geographical Survey
Department of Geography
California State University, Northridge
Northridge, California 91330
william.bowen@csun.edu
Data: United States Census 2000

Census Tract Population



Data-Color Ranges



Before I die... I would like to spend more time:

- ☐ at home
- ☐ away from home

19.6	19.7	6.7	6.7
20.7	20.4	6.8	7.0
26.3	24.7	9.1	8.3
19.0	19.1	6.2	6.7
16.2	17.1	5.6	5.6
15.7	17.0	5.5	6.0
16.9	17.2	5.7	5.2
22.0	21.9	8.1	7.3
20.3	20.0	7.1	6.8
24.3	24.3	9.3	8.0
19.1	19.4	5.9	6.1
20.2	19.9	7.5	7.3
19.0	19.1	6.2	6.1
25.9	25.3	11.1	10.7
24.8	28.6	13.1	12.4
11.6	14.4	*2.9	5.8
19.1	19.2	6.2	6.1
25.9	25.2	11.0	10.6
10.2	10.6	7.4	6.6

Before I die... I would like to see:

- ☐ North Korea become democratic
- ☐ The ozone hole disappear
- ☐ An American on Mars
- ☐ An UFO
- ☐ Liverpool FC win the UEFA Cup
- ☐ The Warren report
- ☐ The Panda become a common animal
- ☐ Christopher Reeve walk again
- ☐ Michael Jackson's face
- ☐ The French leave the Pacific

Table 48 (page 2 of 3). Death rates for firearm-related injuries, according to sex, race, Hispanic origin, and age: United States, selected years 1970–98

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and age	1970	1980	1985	1990	1994
Deaths per 100,000					
Black male					
All ages, age adjusted	73.4	61.8	42.2	61.5	65.1
All ages, crude	60.6	57.7	41.3	61.9	63.8
1–14 years	5.3	3.0	2.7	4.4	5.2
15–24 years	97.3	77.9	61.3	138.0	169.6
25–44 years	126.2	114.1	71.8	90.3	84.5
25–34 years	145.6	128.4	79.8	108.6	109.0
35–44 years	104.2	92.3	59.2	66.1	57.7
45–64 years	71.1	55.6	36.9	34.5	29.1
65 years and over	30.6	29.7	26.3	23.9	23.2
American Indian or Alaska Native male ²					
All ages, age adjusted	---	26.5	24.9	20.8	24.6
All ages, crude	---	27.5	24.4	20.5	24.1
15–24 years	---	55.3	39.8	49.1	54.6
25–44 years	---	42.9	40.2	25.4	22.8

Before I die... I would like to revenge:

Person _____

Episode to revenge _____ Year of episode _____

Method of revenge _____

Before I die... I would like to apologise:

Person _____

Episode to apologise _____ Year of episode _____

Description of episode _____

Table 64. Cocaine-related emergency department episodes, according to age, sex, race, and Hispanic origin: United States, selected years 1990–97

[Data are weighted national estimates based on a sample of emergency departments]

Age, sex, race, and Hispanic origin	1990	1991	1992	1993	1994	1995	1996
All races, both sexes ¹	Number of episodes						
All ages ²	80,355	101,189	119,843	123,423	142,878	135,801	152,433
6–17 years	1,877	2,210	1,546	1,578	2,068	2,058	2,595
18–25 years	19,614	21,766	23,883	22,159	25,392	21,116	22,065
26–34 years	35,639	46,137	52,760	52,658	60,500	54,953	58,732
35 years and over	23,054	30,582	41,288	46,614	54,238	57,348	68,723
White, non-Hispanic male							
All ages ²	15,512	19,385	21,360	21,193	27,216	25,634	28,647
6–17 years	527	486	264	371	409	493	604
18–25 years	3,810	5,284	5,297	5,155	5,877	5,458	4,968
26–34 years	6,724	8,777	9,175	8,828	11,908	10,426	11,406
35 years and over	4,432	4,747	6,585	6,818	8,985	9,228	11,647
Black, non-Hispanic male							
All ages ²	27,745	36,597	46,064	46,218	51,622	48,875	51,687
6–17 years	241	244	246	213	273	304	348
18–25 years	5,104	5,743	6,308	5,661	6,698	4,735	3,886
26–34 years	12,160	16,232	19,952	18,542	20,978	18,756	18,559
35 years and over	10,202	14,110	19,416	21,709	23,533	25,019	28,742
Hispanic male ³							
All ages ²	4,821	6,571	8,683	9,195	9,566	7,889	12,577
6–17 years	144	201	336	206	518	181	431
18–25 years	1,774	1,831	2,535	2,184	2,165	1,892	3,725
26–34 years	1,758	2,723	3,457	3,893	3,652	2,904	4,342
35 years and over	1,125	1,801	2,332	2,885	3,222	2,907	4,056
White, non-Hispanic female							
All ages ²	8,331	9,541	10,132	11,263	13,230	13,634	15,594

Before I die... I would like to try:

- ☐ Amphetamine
- ☐ Anabolic steroids
- ☐ Cannabis
- ☐ Cocaine
- ☐ Crystalmeth
- ☐ DMT
- ☐ Ecstasy
- ☐ Ether
- ☐ Heroin
- ☐ LSD
- ☐ MDMA
- ☐ Mescaline
- ☐ Morphine
- ☐ Nitrazepam
- ☐ Nozinan
- ☐ Oxygen
- ☐ Poppers
- ☐ Psilocybin
- ☐ Viagra

Table 43 (page 2 of 2). Death rates for human immunodeficiency virus (HIV) infection, according sex, detailed race, Hispanic origin, and age: United States, selected years 1987–98

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and age	1987	1989	1990	1992	1993	1994	1995	1996	1997	1998
Deaths per 100,000 resident population										
Age 25–44 years										
All persons	12.7	20.5	23.2	29.9	32.9	36.7	36.9	25.9	13.2	10.4
White male	19.2	30.8	35.0	42.8	45.5	48.4	46.9	29.6	13.2	9.9
Black male	60.2	94.1	102.0	137.4	155.3	178.0	182.0	139.1	76.7	59.4
American Indian or Alaska Native male	*	7.4	7.7	13.4	20.9	23.6	31.3	18.4	10.7	8.7
Asian or Pacific Islander male	4.1	7.5	8.1	9.4	10.8	13.8	12.8	8.1	3.6	2.6
Hispanic male ²	36.8	58.2	59.3	68.9	71.0	78.0	78.9	60.5	24.9	18.9
White, non-Hispanic male ²	14.3	28.2	31.6	38.1	40.2	43.4	41.5	25.8	11.0	8.2
White female	1.2	1.9	2.3	3.6	4.4	5.5	6.0	4.4	2.4	1.8
Black female	11.6	20.1	23.6	34.4	40.4	49.8	54.5	46.6	29.3	26.1
American Indian or Alaska Native female	*	*	*	*	*	*	*	*	*	*
Asian or Pacific Islander female	*	*	*	*	1.2	1.5	1.2	*	*	*
Hispanic female ²	4.9	9.3	8.9	12.5	14.2	17.3	18.0	12.8	6.7	5.0
White, non-Hispanic female ²	0.3	1.3	1.5	2.3	2.9	3.9	4.2	3.1	1.7	1.3
Age 45–64 years										
All persons	5.8	9.7	11.1	15.2	16.8	19.3	20.1	15.0	8.3	7.2
White male	9.9	16.4	18.6	23.4	24.7	26.4	26.3	17.4	8.0	6.8
Black male	27.3	46.1	53.0	86.4	101.2	127.1	136.6	114.1	71.8	63.5
American Indian or Alaska Native male	*	*	*	*	*	*	*	*	*	*
Asian or Pacific Islander male	*	6.1	6.5	7.1	9.2	10.6	9.5	8.2	2.4	2.5
Hispanic male ²	25.8	37.0	37.9	52.5	52.2	69.2	67.1	48.8	24.7	18.5
White, non-Hispanic male ²	8.0	15.3	16.9	20.3	21.5	22.6	22.6	14.3	6.4	5.5
White female	0.5	0.7	0.9	1.5	1.8	2.1	2.4	1.9	1.1	0.9
Black female	2.6	5.6	7.5	12.9	16.5	24.1	27.2	24.4	17.6	15.5
American Indian or Alaska Native female	*	*	*	*	*	*	*	*	*	*

Before I die... I would like to try:

- ☐ Amputee sex
- ☐ Asphyxia
- ☐ Cum face
- ☐ Fist fucking
- ☐ Flocking
- ☐ Gang bang
- ☐ Golden Shower
- ☐ Kaviar spiele
- ☐ Obese sex
- ☐ Power tools
- ☐ Sandwich
- ☐ Schwanger sex
- ☐ Sploshing
- ☐ Prostate orgasm (m)
- ☐ Squirting (f)

1993	1994	1995	1996	1997
Deaths per 100,000 employed workers ³				
5.2	5.3	4.9	4.8	
5.6	5.7	5.1	5.1	
26.7	23.9	22.3	22.4	2
26.0	26.9	25.0	27.0	2
13.8	14.8	14.7	14.0	1
3.9	3.9	3.5	3.5	
13.0	13.4	12.6	13.4	1
5.5	5.8	5.1	5.5	
3.9	3.8	3.3	3.2	
1.5	1.4	1.6	1.5	
2.4	2.6	2.2	2.2	
3.4	3.4	3.9	3.1	
Number of deaths				

Before I die... I would like to meet:

☐ Jesus